

Jurop Pump Specifications



Pumps are arranged by CFM from smallest to largest	Free Air Capacity (CFM)	CFM @ 18 hg	Max Vacuum	Max Cont Vacuum	Max Pressure (PSI)	HP Required (Vacuum)	Rec Rotation Speed	Weight (lbs)	Port Size	Drive Shaft Diameter	Cooling Method
PN 23	92	74	27.6"	18"	21	4.5	900 - 1300	117	2"	1 3/8"	Air
PN 33	127	102	27.6"	18"	21	6	900 - 1300	139	2"	1 3/8"	Air
PN 58	230	205	27.6"	18"	21	9	900 - 1300	225	3"	1 3/8"	Air
PNR 72	254	233	23.9"	18"	30	15	800 - 1000	300	3"	1 3/8"	Injection
LC 300	300	226	27"	24"	30	17	900 - 1100	430	3"	1 3/8"	Water
PN 84	317	252	27.6"	18"	21	15	900 - 1300	254	3"	1 3/8"	Air
RV 360	360	332	28"	24"	30	16	1200 - 1300	430	3"	40 mm	Dual Fan
RVC 360	360	332	28"	24"	30	16	1200 - 1300	470	3"	40 mm	Dual Fan
PNR 102	360	332	27.6"	18"	30	22	800 - 1000	381	3" - 4"	1 3/8"	Injection
R 260	363	304	27.6"	18"	25	18	900 - 1200	397	3"	1 3/8"	Injection
PN 106	388	324	27.6"	18"	21	18.5	900 - 1300	419	3"	1 3/8"	Air
LC 420	425	324	27"	25"	30	23	900 - 1100	462	3" - 4"	1 3/8"	Water
PNR 122	430	395	27.6"	18"	30	26	800 - 1000	419	4"	1 3/8"	Injection
PNR 142	500	452	27"	18"	30	28	800 - 1000	562	4"	1 2/8"	Injection
RV 520	520	466	28"	24"	30	32	1200 - 1300	540	4"	40 mm	Dual Fan
PR 150	529	506	28.5"	24"	30	38	1000 - 1100	761	4"	40 mm	Water
PNR 155	538	477	28"	21"	30	26	900 - 1100	485	4"	40 mm	Injection
LC 580	577	512	28"	24"	29	33	900 - 1000	512	4"	40 mm	Water
PR 200	735	712	28.5"	24"	30	53	1000 - 1100	981	4"	55 mm	Water
CT 130	755	659	17"	15"	30	60	2000 - 4500	291	3" - 4"	40mm	Injection
PVT 200	795	535	27.6"	26"	30	34 - 51	900 - 4500	386	4"	38/45 mm	Injection
PR 250	911	865	28.5"	24"	30	65	1000 - 1100	1168	6"	55 mm	Water
PVT 400	1500	955	27.6"	26"	26	110 - 160	1500 - 3350	518	6"	50 mm	Injection
PVT 700	2440	1775	27.6"	26"	29	147	1000 - 2500	1345	6"	70 mm	Injection
PVT 1000	3710	3180	28"	25.5"	29	230	1000 - 2500	2260	10"	70 mm	Injection

